

PRECISION SCALES





Model	Cap.	Acc.	Pan(mm)	Class
ITA-310-G	300g	0.01g	120	II
ITA-610-G	600g	0.01g	120	II
ITA-1001-G	1000g	0.1g	120	II

Features

- Aesthetic & Sleek design to meet user space limitations
- Multiple weighing modes
- Counting function
- High bright display
- AC and built in rechargeable battery
- Auto sleep mode for long battery backup time of 30 hrs
- Overload alarm and indication
- Rear display for easy customer viewing

Options: Extra Display / Wind Shield

Applications

Laboratories | GSM Calculation | Gem & Jewellery | Parts Counting





Model	Cap.	Acc.	Pan(mm)	Class
ITA-101- J	100g	0.001g	90	II
ITA-310 - J	300g	0.01g	120	II
ITA-610 - J	600g	0.01g	120	II
ITA-1010 - J	1000g	0.01g	120	II

Features

- Attractive design
- High accuracy
- Multiple weighing modes
- Counting, Auto zero, Auto calibration function
- Price mode to Enter gold rate, Scrolling price display
- Transparent windshield
- AC and built in rechargeable battery
- Auto sleep mode for long battery backup time
- Overload alarm and indication and more....

Options: RS 232c Interface

Applications

Laboratories | GSM Calculation | Gem & Jewellery | Parts Counting



TABLE TOP SCALES



Model	Cap.	Acc.	Pan(mm)	Class
ITA - 1P	1 Kg	0.1 g	175x225	П
ITA - 3P	3 Kg	0.1g	175x225	II
ITB - 5P	5 Kg	0.5 g	175x225	III
ITB - 10P	10 Kg	1 g	175 x 225	III
ITB - 6/15P	6/15 Kg	1/2g	175x225	III
ITB - 20P-PD	20 Kg	2 g	175x225	III
ITB- 10/20P-PI	0 10/20 Kg	1/2 g	175x225	III

Features

- High Resolution with fast response time Nett / Gross facility
- Strong & Aesthetic look
- Rechargeable Battery Backup
 Auto Zero tracking facility
- Auto Zero tracking facility
- Piece Counting Facility

- Overload Indication
- High Bright LED Display
- Long life Dome Keys

Applications

Packaging Units | Fruits & Vegetables | Meats & Cheeses Retail Shops | Dairy Units | Industrial Use | General Weighing



ITA/ITB - SW SERIES



Model	Cap.	Acc.	Pan(mm)	Class
ITB -10 W	10 Kg	1g	230x175	III
ITB -20 W	20 Kg	2g	230x175	III
ITB -30 W	30 Kg	5g	230x175	III
ITB -15/30 W	15/30 Kg	2/5 g	230x175	III

Features

- Compact and Elegant Design
- Splash proof design
- Dummy Zero / Auto Zero tracking mode
- Long Battery Backup time
- Dual Display
- Low Cost

Applications

General Weighing | Industries | Retail Shops | Meats & Cheese | Dairy Units | Packing Units



TP SERIE



Model	Cap.	Acc.	Pan(mm)	Class
ITP - 15/30	15/30 Kg	2/5 g	240x285 mm	III
ITP - 30	30 Kg	5 g	240x285 mm	III

Features

- Aesthetic Stylish user friendly design
- Load Cell with high accuracy
- Upto 99 memory
- High bright LED Display
- Auto zero tracking
- Memory accumulation
- Sleep Mode / In-built long battery life
- Heavy duty Keys

Applications

Grocery Stores | Fruit Stalls | Sweets Stalls | Meat Shops







Cap.	Acc.	Class	Model	Cap.	Acc.	Class
50 kg	10g	III	IHB-1000 C	1 ton	500g	III
100 kg	20g	III	IHB-2000 C	2 ton	1kg	III
200 kg	50g	III	IHB-3000 C	3 ton	1kg	III
500 kg	200g	III	IHB-5000 C	5 ton	2kg	III
	50 kg 100 kg 200 kg	50 kg 10g 100 kg 20g 200 kg 50g	50 kg 10g III 100 kg 20g III 200 kg 50g III	50 kg 10g III IHB-1000 C 100 kg 20g III IHB-2000 C 200 kg 50g III IHB-3000 C	50 kg 10g III IHB-1000 C 1 ton 100 kg 20g III IHB-2000 C 2 ton 200 kg 50g III IHB-3000 C 3 ton	50 kg 10g III IHB-1000 C 1 ton 500g 100 kg 20g III IHB-2000 C 2 ton 1kg 200 kg 50g III IHB-3000 C 3 ton 1kg

C - Crane Scale

Features

- Large LED display for excellent visibility
- Push Button Tare facility
- Overload alarm and indication
- High-tension hook and shackle
- Weight accumulation function
- Remote control calibration. Wireless option available
- Infrared remote controller distance 20m
- Models with high temperature shield available
- Weight Hold, Gross / Net kg / lb conversion functions

Applications

Fruits & Vegetable Shops | Retail Shops | Dairy Units | Foundry Meat Shops | Industrial Weighing



FIELD SCALES



Technical Specifications

Pan Size	Cap.	Acc.
325 x 325	120 Kg	20g
400 x 400	300 Kg	50g
450 x 450	300 Kg	50g
500 x 500	300 Kg	50g

Features

- Heavy Duty Structure with SS/ MS pan
- Heavy Duty Switches
- Slim Design to Carry easily
- Heavy duty Metal Connectors
- Push/ Pull Handle to Carry very easily
- Fully covered Electronic parts design
- Designed for Rough Handling

Applications

Portable and Field Use



































BENCH/PLATFORM SCALES





Model	Cap.	Acc.	Pan(mm)	Class
IPB - 50	50Kg	5 g	325x325 (SS)	Ш
IPB-30/60	30/60 Kg	5/10 g	350x350 (SS)	Ш
IPB - 100	100 Kg	10g	400x400 (SS)	Ш
IPB - 200	200Kg	20g	500x500 (SS)	Ш
IPB - 300	300Kg	50g	600x600 (SS)	Ш
IPB - 300	300Kg	50g	600x600 (MS)	Ш
IPB - 600	600Kg	100g	600x600 (MS)	Ш

Dual Range / Class II Models are also available



Features

- Triple Range / Accuracy
 Aesthetic Design ABS Indicator
 Sturdy Powder coated MS Construction
 Dummy Zero/ Auto Zero Tracking setting
 Hold / Check Weighing / Piece Counting Function
 Long Battery Back up
 SMPS power supply
 RS 232C Interface
 Options: Extra Display





0.000 GREEN

Applications

Grocery Stores | Parcel Weighing | Fruits & Vegetables | Meats & Cheeses Retail Shops | Dairy Units | Industrial Use | Hotels | General Weighing



IPA/IPB - H SERIES



Bench Scale - 400x400 mm



Platform Scale - 500x500 mm 600x600 mm

IPA/IPB - H SERIES

Features

- Sturdy & Rugged Construction with
- Industrial coating SS / MS Platform option
- High Resolution with fast response time 2,00,000 Internal Counts
 Strong, Aesthetic look & Finishing
 24 Hrs. Rechargeable Battery Backup
 Auto Zero tracking facility
 Piece Counting Facility
 Nett / Gross facility

- Economical & Affordable price
- Overload Indication
- High Bright LED Display
- Long life Dome Keys
- 4 Load Cell model available



MS Platform Scale
750 x 750 mm
900 x 900 mm

0.000	0.000
RED	GREEN

Model	Cap.	Acc.	Pan(mm)	Class	Model	Cap.	Acc.	Pan(mm)	Class
IPB- 30/60	30/60 kg	5/10g	400x400 - SS	Ш	IPB-150/300	150/300 kg	20/50g	600X600 - MS	ш
IPB-50/100	50/100kg	5/10g	400x400 - SS	Ш	IPB-300/600	300/600 kg	50/100g	750x750 - MS	Ш
IPB-100/200	100/200kg	10/20g	500x500 - SS	Ш	IPB-1000	1000kg	100g	750x750 - MS	Ш
IPB-150/300	150/300 kg	20/50g	500x500 - SS	Ш	IPB-600	600kg	100g	900x900 - MS	Ш
IPB-100/200	100/200kg	10/20g	600X600 - SS	Ш	IPB-1000	1000kg	100g	900x900 - MS	Ш
IPB-150/300	150/300 kg	20/50g	600x600 - SS	Ш	IPB-1000(Jumbo) 1000kg	100g	900x900 - MS	Ш

Class II Models are also available

Customised Platform Size & Capacities can be made as per requirement

Applications.

Grocery Stores | Parcel Weighing | Fruits & Vegetables | Meats & Cheeses Retail Shops | Dairy Units | Industrial Use

Options:

Rear Display RS 232 c Interface Extra Display

Also available: Roller Scale Trolley Scale



SPARES & AFTER SALES SUPPORT

Every Day for Every body

As sales continue to be strong and the company continues to improve its products, Ishtaa Scales Inc., appears to be in a good position for the future. Combine our knowledge, experience and dedication and you get the state of art products backed by a company committed to quality. For the immediate and long-term future, Ishtaa Scales Inc., will continue to provide the best technical support and continue to increase its market share around the state.

Remember...... Ishtaa Scales Inc., is here to stay!!!!



All Electronic Weighing Scale Spares available at Reasonable Prices



Best Seller K12 SERIES **K7 SERIES** INDICATORS in India **K9 SERIES** 0.000 0.000 RED GREEN 0.8 mm

Features

- Upto 1/100,000 display resolution.
 Counting function delivers precise piece counting.
 Preprogrammed reference sample quantities of 5,10, 20, 50...1000 parts.
 The indicator can be calibrated in Triple, double or single

- In a minimizer and the cambrated in 17the, double or single accuracy.
 Hi Low Limit set points.
 An optional customer side dual display with 8-12m cable can be directly attached with the K9 series mounted display.
 Special LED display filter gives a very clear display.
- The display is even visible in direct sunlight with visibility levels of close to 20%-30% Support for upto 4 x 350 loadcells. Support for upto 4 x 350 Ω loadcells. 100% Tare Range, Auto zero, Sleep Mode. 220V AC/built-in 6V rechargeable battery 50hr backup. Weight accumulation, Weight hold function.



Features

- Upto 1/100,000 display resolution

 Tilt 900 and swivel 3600 head

 Water resistant keypad / Option for Splash Proof body

 Counting mode, Percentage weighing, Wt accumulation

 Dust Cover for protection against dust, water and spillage

 Support for upto 4 x 350 ? loadcells

 100% Tare Range, Auto zero, Glow Control, Sleep Mode, Dummy Zero
- Serial output bidirectional communication. Continuous / cmd based control

- Push Button Tarc, 10x Weight zoom
 220V AC/built-in 6V rechargeable battery 50hr backup
 Option for second display /indicator wall mounting / desktop stand
 Option: RS-232/Printer output for direct printing with facility of printing shop name, item, weight, price, total, barcode labels etc



TABLE TOP SCALES - ITA/ ITB SERIES









Model	Cap.	Acc.	Class	V	J	H	L
ITA - 15	15 Kg	1g	II	1		1	_
ITA - 30	30 Kg	2g	II	1	1	1	1
ITB - 6/15	6/15 Kg	1/2g	Ш	1		1	-
ITB - 15	15 Kg	2 g	Ш	1		1	
ITB - 20	20 Kg	2 g	Ш	1	/	1	1
ITB - 30	30 Kg	5 g	Ш	1	/	1	1
ITB - 15/30	15/30 Kg	2/5 g	Ш	1	1	1	/
Applications							

Grocery Stores | Parcel Weighing | Fruits & Vegetables | Meats & Cheeses Retail Shops | Dairy Units | Industrial Use | General Weighing

Features

- Features

 High Resolution with fast response time
 Strong, Aesthetic look & Finishing
 Rechargeable Battery Backup
 Auto Zero tracking facility
 Piece Counting Facility
 Nett / Gross facility
 Economical & Affordable price
 Overload Indication
 High Bright LED Display
 Long life Dome Keys

Options: RS 232c Interface Rear Display



Model	Cap.	Acc.	Pan(mm)	Class
IA-103	100g	0.001g	90mm	I
IA-203	200g	0.001g	90mm	I
IA-303	300g	0.001g	90mm	I

Features

- Weighing Response time Adjustable
- Anti-Radiate, Anti-Static Aluminium Housing
- Super Size LCD display with backlight
- Default and auto lock present working mode
- Built in RS232/USB for printer or other equipment
- Time & Date Setting
- % Percentage Weighing

Applications

Lab | Jewellery | Education | Industries



TABLE TOP SCALES



Features

- Splash proof design with drainage system
- Sturdy and attractive ABS body
 Special mode for better stability
 Multiple Weighing units

- 0.8 Large RED LED display
- Piece Counting Function Settable Pre Tare Function
- Auto Weight Summation
- Software calibration
- Overload protection
- Power save mode
- Dual Display

ITA - AP SERIES - Premium

Model	Cap.	Acc.	Pan(mm)	Class
ITA-AP-3k/0.1	3 kg	0.1 g	230 x197	II
ITA-AP-6k/0.1	6 kg	0.1 g	230 x197	II
ITA-AP-10k/0.	1 10 kg	0.1 g	230 x197	II
ITA-AP-20k/0.2	2 20 kg	0.2 g	230 x197	II
ITA-AP-30k/1 30 kg		1 g	230 x197	II

ITA - AS SERIES - Standard

Model	Cap.	Acc.	Pan(mm)	Class
ITA-AS-3k/0	.2 3 kg	0.2g	230 x197	II
ITA-AS-6k/0	.5 6 kg	0.5 g	230 x197	II
ITB-AS-10k/	1 10 kg	1 g	230 x197	III
ITB-AS-20k/	2 20 kg	2 g	230 x197	III
ITB-AS-30k/	5 30 kg	5 g	230 x197	III

Applications

General Weighing | Silver Weighing | Industrial | Educational Apps | Retail Shops | Meats & Cheese | Dairy Units